



March 29, 2022

Mr. Maurice Rudolph HYDRY Company, LLC 4314 Pablo Oaks Court Jacksonville, Florida 32224

> ECS Project No. 35:29020-A2 Client ID: 3524

Reference: Preliminary Report of Geotechnical Exploration **River Landing Lot 5** Nocatee, St. Johns County, Florida

Dear Mr. Rudolph:

ECS Florida, LLC (ECS) has completed the requested preliminary geotechnical exploration in general accordance with our Proposal No. 35:17712-GPR dated March 31, 2021. The exploration was performed to explore the general subsurface conditions within the proposed lot area and to provide preliminary recommendations for foundation support.

Additional field testing should be performed to formulate detailed foundation design and site preparation and earthwork construction recommendations prior to final design. Once more detailed information regarding the proposed structure is developed, we should be given the opportunity to review and develop a supplemental design-phase scope of services.

PROJECT INFORMATION

The general site location is shown on the Site Location Diagram (Figure 1). At the time of our exploration, the site was undeveloped, with ground surface cover consisting of brush and trees. Surface water was not observed near the planned building area at the time of our exploration.

You provided a copy of a site plan for the subject site. This plan indicates the boundary limits for the property and the existing roadways adjacent to the site. However, we note the location of the proposed structure(s) was not available to our office at the time of this report preparation.

The following information explains our assumptions of the planned development.

SUBJECT	DESIGN INFORMATION / ASSUMPTIONS						
# of Stories	3 stories above grade						
Usage	Residential						
Column Loads ⁽¹⁾	50 kips						
Wall Loads ⁽¹⁾	3 kips per linear foot (klf) maximum						
Floor Loads ⁽¹⁾	150 pounds per square foot (psf) maximum						
Fill and Cut Heights	Assumed a maximum of 3 feet of fill and only minor cuts, from existing site grades						

(1) If actual structural loads differ from these assumed loads ECS must be contacted immediately in order to revise building foundation recommendations and settlement calculations, as needed.

FIELD EXPLORATION

We performed a field exploration on May 6, 2021 and May 7, 2021. The approximate boring locations are indicated on the attached Field Exploration Diagram (Figure 2). Our personnel determined the boring locations using a handheld Global Positioning System (GPS) unit. The boring locations on the referenced Field Exploration Diagram should be considered accurate only to the degree implied by the method of measurement used.

We located and performed one Standard Penetration Test (SPT) boring, drilled to a depth of approximately 15 feet below the existing ground surface, in general accordance with the methodology outlined in ASTM D 1586 and one auger boring, drilled to a depth of approximately 15 feet below the existing ground surface in general accordance with the methodology outlined in ASTM D 1452 to explore the subsurface conditions within the lot area. Soil samples recovered during performance of the borings were visually classified in the field and representative portions of the samples were transported to our laboratory for further evaluation. Our exploration procedures are explained in greater detail in Appendix B including the insert titled Subsurface Exploration Procedures.

VISUAL CLASSIFICATION

Each sample was visually classified on the basis of texture and plasticity in accordance with ASTM D2488 Standard Practice for Description and Identification of Soils (Visual-Manual Procedures) and including USCS classification symbols, and ASTM D2487 Standard Practice for Classification for Engineering Purposes (Unified Soil Classification System (USCS)). After classification, the samples were grouped in the major zones noted on the boring logs in Appendix B. The group symbols for each soil type are indicated in parentheses along with the soil descriptions. The stratification lines between strata on the logs are approximate; in situ, the transitions may be gradual.

GENERAL SUBSURFACE CONDITIONS

A graphical presentation of the generalized subsurface conditions is presented on Figure 3. It should be understood that the soil conditions will vary between the boring locations and in areas of the site not explored during our visit. The following table summarizes the soil conditions encountered.

Typical De	pth (ft)	Stratum	Description
From	То		
Existing Ground Surface	6 ½ - 8	I	Loose to Medium Dense Fine SAND (SP), With Shell Fragments, Moist
6 ½ - 8	7 ½ - 9	П	Very Loose Silty Fine SAND, Many Organic Fines (PT), Moist to Wet
7 ½ - 9	15	111	Very Loose to Medium Dense Fine SAND (SP), Fine SAND With Clay (SP- SC), and Clayey Fine SAND (SC), Wet

A graphical presentation of the subsurface conditions is shown on the Generalized Subsurface Soil Profiles in Appendix A.

Groundwater was encountered at each boring location and recorded at the time of drilling at depths of approximately 7 feet and 7.5 feet below the existing ground surface. We note that groundwater levels will fluctuate due to seasonal climatic variations, surface water runoff patterns, construction operations, and other interrelated factors. The groundwater depth at each boring location is noted on the Generalized Subsurface Profiles and on the Log of Boring records.

Subsequent to the soil borings being performed, the site Contractor over-excavated and removed the organic soils. The replacement soils were tested by a representative of ECS and met or exceeded our compaction recommendations for support of a single-family residence.

PRELIMINARY DESIGN RECOMMENDATIONS

Our geotechnical engineering evaluation of the site and subsurface conditions at the property, with respect to the planned construction and our recommendations for earthwork and foundation support, are based on (1) our site observations, (2) the field and laboratory test data obtained, (3) our understanding of the project information and structural conditions as presented in this report, and (4) our experience with similar soil and loading conditions.

Additional field testing should be performed to formulate detailed foundation design and site preparation and earthwork construction recommendations prior to final design. Also, the discovery of any site or subsurface conditions during construction that deviate from the data obtained during this geotechnical exploration should also be reported to us for our evaluation.

Based on the above preliminary evaluation of the site and subsurface conditions at the borings, our observation of the removal of the organic material, and testing of the backfill soils, with respect to the anticipated construction, it appears the proposed structure can be constructed on a conventional shallow foundation system.

Conventional Shallow Foundation Support

The planned residential structure can be supported by a conventional shallow foundation system ("spread footings") provided the site is properly prepared. Subsequent to these site preparation activities, we expect that shallow spread foundations can be designed for an allowable bearing capacity of 2,500 psf.

REPORT LIMITATIONS

Our geotechnical exploration has been performed, our findings obtained, and our recommendations prepared, in accordance with generally accepted geotechnical engineering principles and practices. ECS is not responsible for any independent conclusions, interpretation, opinions, or recommendations made by others based on the data contained in this report. Additional field testing should be performed to formulate detailed foundation design and site preparation and earthwork construction recommendations prior to final design.

Respectfully Submitted **ECS FLORIDA, LLC**

Chris M. Egan, P.E. Geotechnical Department Manager Registered, Florida No. 79645 CEgan@ecslimited.com

by mousar.

Joey Froussard, P.E. **Principal Engineer** Registered Florida No. 58233 JBroussard@ecslimited.com

APPENDICES

Appendix A – Drawings & Reports

- Figure 1 Site Location Diagram
- Figure 2 Field Exploration Diagram
- Figure 3 Generalized Subsurface Profiles

Appendix B – Field Operations


- Reference Notes for Boring Logs
- Subsurface Exploration Procedure: Standard Penetration Testing (SPT)
- Boring Logs


APPENDIX A – Drawings & Reports

Figure 1 - Site Location Diagram


Figure 2 - Field Exploration Diagram

Figure 3 - Generalized Subsurface Profiles





JAS - 35-29020-A2



APPENDIX B – Field Operations

Reference Notes for Boring Logs Subsurface Exploration Procedure: Standard Penetration Testing (SPT) Boring Logs



REFERENCE NOTES FOR BORING LOGS

	1,2				DRILLING	SAMPLING	SYMBO	OL	
	ASD	HALT	SS	Split Spoo	n Sampler		PM		
	ASP	HALI	ST	Shelby Tu	be Sample	er	RD		
	001	ODETE	WS	Wash Sam	nple		RC		
	CON	CRETE	BS	Bulk Samp	ole of Cutti	ngs	REC		
Ŷ, Ŷ	GRA	VEI	PA	Power Aug	ger (no sar	nple)	RQD		
	GRA	VEL	HSA	Hollow Ste	em Auger				
	TOP	SOIL				PARTICLE S		FN	
	VOID	N	DESIGNA	ATION				_	
	VOIL		Boulde	rs	12	inches (300 r	nm) or l	la	
	BRIC	к	Cobble	S	3 in	hches to 12 in	, nches (7	75	
	21110		Gravel:	Coarse	3⁄4 ii	nch to 3 inche	es (19 r	nr	
Ö:Ö	AGG	REGATE BASE COURSE		Fine		5 mm to 19 n	-		
			Sand:	Coarse	2.0	0 mm to 4.75	mm (N	lo.	
1	GW	WELL-GRADED GRAVEL		Medium	0.4	25 mm to 2.0	0 mm (N	
		gravel-sand mixtures, little or no fines		Fine	0.0	74 mm to 0.4	25 mm	۱)	
૾ૢૼૢ૾ૺૢૻ	GP	POORLY-GRADED GRAVEL	Silt & C	Clay ("Fines"	、 、	074 mm (sma		`	
তারণক	~~~	gravel-sand mixtures, little or no fines	<u> </u>					_	
[\$] O	GM	SILTY GRAVEL gravel-sand-silt mixtures		COHESIV		CLAYS		į	
V 3° 0	GC	•							
19.01	GC	CLAYEY GRAVEL gravel-sand-clay mixtures		ONFINED PRESSIVE	SPT⁵	CONSISTEN			
A	SW	WELL-GRADED SAND		IGTH, QP ⁴	(BPF)	(COHESIV			
<u>م</u>	311	gravelly sand, little or no fines		0.25	<2	Very So			
	SP	POORLY-GRADED SAND		- <0.50	2 - 4	Soft			
	0.	gravelly sand, little or no fines	11	- <1.00	5 - 8	Firm			
	SM	SILTY SAND		- <2.00	9 - 15	Stiff			
		sand-silt mixtures		- <2.00 - <4.00	16 - 30	Very Sti	#		
1.1.1	SC	CLAYEY SAND	1 1	- <4.00 0 - 8.00	10 - 30 31 - 50	Hard	"		
[:]:]]	-	sand-clay mixtures		8.00	>50	Very Har	rd		
	ML	SILT		0.00	>00	veryriai	u		
		non-plastic to medium plasticity	ODAVE						
	МН	ELASTIC SILT			S& NON-C	OHESIVE S	ILIS		
		high plasticity		SPT⁵		DENSITY			
\Box	CL	LEAN CLAY		<5		Very Loose			
111		low to medium plasticity		5 - 10		Loose			
	СН	FAT CLAY	1	11 - 30	Μ	ledium Dense	e		
		high plasticity	3	31 - 50		Dense			
	OL	ORGANIC SILT or CLAY non-plastic to low plasticity		>50		Very Dense			
\$	он	ORGANIC SILT or CLAY				FILL	AND F	R	
	-	high plasticity						_	
	PT	PEAT							
<u>7 76 7</u> 76 76	•••	highly organic soils							

¹Classifications and symbols per ASTM D 2488-17 (Visual-Manual Procedure) unless noted otherwise.

²To be consistent with general practice, "POORLY GRADED" has been removed from GP, GP-GM, GP-GC, SP, SP-SM, SP-SC soil types on the boring logs.

³Non-ASTM designations are included in soil descriptions and symbols along with ASTM symbol [Ex: (SM-FILL)].

⁴Typically estimated via pocket penetrometer or Torvane shear test and expressed in tons per square foot (tsf).

⁵Standard Penetration Test (SPT) refers to the number of hammer blows (blow count) of a 140 lb. hammer falling 30 inches on a 2 inch OD split spoon sampler

required to drive the sampler 12 inches (ASTM D 1586). "N-value" is another term for "blow count" and is expressed in blows per foot (bpf). SPT correlations per 7.4.2 Method B and need to be corrected if using an auto hammer.

⁶The water levels are those levels actually measured in the borehole at the times indicated by the symbol. The measurements are relatively reliable when augering, without adding fluids, in granular soils. In clay and cohesive silts, the determination of water levels may require several days for the water level to stabilize. In such cases, additional methods of measurement are generally employed.

⁷Minor deviation from ASTM D 2488-17 Note 14.

⁸Percentages are estimated to the nearest 5% per ASTM D 2488-17.

essuremeter Test ck Bit Drilling ck Core, NX, BX, AX ck Sample Recovery % ck Quality Designation %

PARTICLE SIZE IDENTIFICATION								
DESIGNATI	ON	PARTICLE SIZES						
Boulders		12 inches (300 mm) or larger						
Cobbles		3 inches to 12 inches (75 mm to 300 mm)						
Gravel:	Coarse	3/4 inch to 3 inches (19 mm to 75 mm)						
Fine		4.75 mm to 19 mm (No. 4 sieve to ³ / ₄ inch)						
Sand:	Coarse	2.00 mm to 4.75 mm (No. 10 to No. 4 sieve)						
	Medium	0.425 mm to 2.00 mm (No. 40 to No. 10 sieve)						
	Fine	0.074 mm to 0.425 mm (No. 200 to No. 40 sieve)						
Silt & Clay ("Fines")		<0.074 mm (smaller than a No. 200 sieve)						

RELATIVE AMOUNT ⁷	COARSE GRAINED (%) ⁸	FINE GRAINED (%) ⁸
Trace	<u><</u> 5	<5
With	10 - 20	10 - 25
Adjective (ex: "Silty")	25 - 45	30 - 45

WATER	LEVELS ⁶

t Encountered)
t Encountered)

- WL (Completion)
- WL (Seasonal High Water)
- WL (Stabilized)

FILL AND ROCK											
FILL	POSSIBLE FILL	PROBABLE FILL	ROCK								



SUBSURFACE EXPLORATION PROCEDURE: STANDARD PENETRATION TESTING (SPT) ASTM D 1586 Split-Barrel Sampling

Standard Penetration Testing, or **SPT**, is the most frequently used subsurface exploration test performed worldwide. This test provides samples for identification purposes, as well as a measure of penetration resistance, or N-value. The N-Value, or blow counts, when corrected and correlated, can approximate engineering properties of soils used for geotechnical design and engineering purposes.

SPT Procedure:

- Involves driving a hollow tube (split-spoon) into the ground by dropping a 140-lb hammer a height of 30-inches at desired depth
- Recording the number of hammer blows required to drive split-spoon a distance of 12 inches (in 3 or 4 Increments of 6 inches each)
- Auger is advanced* and an additional SPT is performed
- One SPT test is typically performed for every two to five feet
- Obtain two-inch diameter soil sample

*Drilling Methods May Vary— The predominant drilling methods used for SPT are open hole fluid rotary drilling and hollow-stem auger drilling.







LOG OF BORING

 Project No.:
 35-29020-A2

 Boring No.:
 B5

 Sheet

 of

Project: River Landing Lot 5 Client: HyDry Company, LLC													_						
Drill Rig: 101A Driller: M. Foster Boring Location: See Field Exploration Plan Drill Rod: AWJ Drill Mud: Super Gel-X												K	_						
	lwater [Time:	Drilling	Data	5/7/21	_ Cas	ing Siz ing Be	1	Length of Casing: Boring Completed: 5/7/21								
SAMPLE NO.	DEPTH, FEET			_ TIME:	Drining	Date:		BLOWS PER 6 IN.	N Value	PERCENT ORGANIC MATERIAL	SING /E		(%) + MOISTURE			SHE Po Un Po Dis Tor Un	CAR ST (ks cket Pen disturbed cket Pen sturbed S vane confined	RENGTH	
1 2 3 4 5 6			VERY LO VERY LO Organic Fi VERY LO	OSE Gray Fin DENSE Gray (SP)	e SAND (SP e SAND, Sor e SAND, Sor) me to Many) With Shell		2 2 3 3 4 4 4 5 5 5 6 6 6 4 4 3 2 1/12" 2 4 6 10 10	5 8 11 7 2 20										
Rema	20]					[<u> </u>	I	<u> </u>			<u> † </u>		<u> </u>	<u></u>	1	



LOG OF BORING

Project: River Landing Lot 5									Client: HyDry Company, LLC										
Boring	Location	: :	See Field Explorati	_ Dril Dril	Drill Rig: <u>101A</u> Drill Rod: <u>Flight Auger</u>						Driller: <u>M. Foster</u> Drill Mud:								
				Cas	Casing Size: Boring Begun: <u>5/6/2</u>				Length of C					Casing:					
Ground	Iwater De	: <u>7.5 ft</u> Time:	_ Bor	ing Be	gun:	<u>5/6/2</u>	1		BC	oring	Com			721 TRENGTH	_				
SAMPLE NO.	DEPTH,	SAMPLE TYPE	DESCRIPTIO				BLOWS PER 6 IN.	N Value	PERCENT ORGANIC MATERIAL	PERCENT PASSING NO. 200 SIEVE	COPLASTIC LIMIT	10		30		⊙ ● ●	(ka Pocket Pe Undisturbe Pocket Pe Disturbed Torvane Unconfine	sf) netrometer ed Sample netrometer Sample d Compression	
1 2 3 4 5 6 7 8 8	0 5 10 10 20 25		Drange Fine SAND W Brown Fine SAND (S Gray Brown Silty Fin (PT) Gray Fine SAND (SP) Gray Clayey Fine SA Gray Clayey Fine SA Boring To Boring To	P) e SAND, Many) ND (SC)	Organic Fi														
Remar	KS																		